# CURRENT TRENDS IN SUBSTANCE ABUSE


Michael Nerney and Associates PO Box 93 Long Lake, NY 12847-0093 518-624-5351 michaelfnerney@gmail.com

#### A Disease of the Brain

- ASAM
- Primary chronic disease of the brain reward, motivation, memory, and related circuitry.
- Clarify and de-stigmatize
- Public Perception
- Percentage change 38% to 47% but no change in stigma

#### Who is at risk?

• Genetics



• Environment



• Experiences



#### P450 CYP2D6

- Codeine converted to Morphine
- Metabolic function
- Poor
- Effective
- Moderate
- Ultra fast



## **ACE Study**

<ul> <li>Household dysfunction</li> </ul>	Totals
---	--------

<ul> <li>Caretaker abused</li> </ul>	12.7
--------------------------------------	------

• Substance Abuse 26.9

Mental Illness 19.4

• Divorce/Separation 23.3


• Incarceration 4.7



#### Who is at risk?

Genetics

• Environment





• Exposure










# VAPE/JUUL Products



#### Gender Differences



#### **The Adolescent Brain Factor**


- Emotional Intensity
  - Ages 10 24 years
  - Amygdala
    - Hormones
    - Larger and more active
  - 2 to 4 times



https://images.nonexiste.net/popular/2012/03/30/diffusion-spectrum-imaging-reveals-an-orderly-weave-of-nerve-fibers-in-the-brain/

#### The Adolescent Brain Factor

- Risk Taking and Peers (Who is addressing this?)
  - Change at 12-13 years old
  - New sites appear in brain
  - Emotional reward for risk taking
  - Peer influence



## Stress in America-APA Survey

- 13-23
  - Highest stress
     First time ever

27% Extreme stress 8-10

55% Moderate stress 5-7


(Stress reduction, Key need)



## High Risk for Drug and Alcohol Abuse/Addiction

Depression

Serotonin Synthesis



#### Motivation for Drug Use

- Seek drugs for:
  - Create positive effect in brain chemistry
    - Dopamine release in reward sites
  - Suppress negative emotions
    - Activation in specific sites



# **Drug Combinations**

Enhance Primary Drug Effect

• Boost the initial drug

Slow metabolism

• Grapefruit juice



#### **Brain Facts**

- Risk Taking
  - New Sites of Activity
  - Influence of Peers
  - Male/Female



Emotional Reward

#### **Cultural and Environmental Influences**

Role Models

• TV

Social Media






# Risk Taking



# Risky Business



#### **Household Products**

- Solvents
  - Brain Damage
  - Sudden Fatal Event



#### Medicine Cabinet

• Rx and OTC


Parents and Grandparents

ADDERA

5 mg

• Siblings





## Alcohol: new products

Alcohol treats

Pocket Shots







# Impulse Control

- PRDM2
- Down regulated
- Disrupts impulse control
- Big factor in trying new drugs



## Alcohol and drug combinations


#### Robo-shots/Mucys

- Dextromethorphan
- Opioid cough suppressant
- Plus alcohol
- Rapid and powerful intoxication
- Motor control
- Impulse control
- Delusional



#### Alcohol and caffeine: Risk factors

- Physical
  - Energized
  - Uncoordinated
  - 30% drop in glucose uptake in motor cortex
  - 30% drop in glucose uptake in visual cortex
  - Slower reaction time



#### Alcohol and caffeine: Risk factors

- Behavioral
  - Sense of competence
  - Aggressive social interactions
  - Twice as likely to suffer physical injury
  - Twice as likely to get in fights
  - Twice as likely to be either a victim or a perpetrator of sexual assault

## Alcohol and Marijuana


- Popular combination
- Cross fade
- Which one first
- Toxic effect





## Alcohol: impact on brain

- NMDA pathways
  - 48 hours calcium overrun
  - Cell death
  - One year of binge drinking
    - 10% loss of PFC volume
    - Logic, reason, executive function



# Alcohol: impact on brain

- One year of binge drinking
  - 10% loss of hippocampus volume
    - Memory
    - Motivation
    - Social behaviors
      - Learn how to study
      - Appropriate social interaction
      - Ask for help



## Marijuana marketing: it's good for you



## Marijuana marketing: sex, buds, and rock and roll



## New Products: Dabbing

Butane Hash Oil

• Amber, Shatter, Ear Wax






#### New products

- Cloud 9
- AB-PINACA + Others
- Synthetic Cannabinoids
  - High Potency
  - Dabbing
  - E-pens
  - Beverages
  - Extractions always increase risk for bad outcomes!
  - Addiction, Overdose, Accidental Death



# New products









#### **Edibles Risk Factors**

- Packaging
  - Resembles other treats
- Dose
- Range of several hundred milligrams
- ROA
- Slow start
- Access
  - Children find them

#### Marijuana, Marijuana Synthetics: Effects


- Behavioral
  - Increased appetite
  - Divided attention difficulties
  - Cognitive deficiencies
  - In vulnerable individuals:
    - May lead to psychosis
    - May deepen depression

## Marijuana: Significant risks

- Addiction
  - Anandamide influence
  - High potency more activity in CB1 and CB2 sites
  - May lead to dependency and addiction
  - Tolerance
  - Withdrawal
  - Compulsion
  - Loss of Control
  - Continued Use Despite Consequences

#### Vaporizing





### Liquid nicotine




#### **E-LIQUID NICOTINE STRENGTH GUIDE**


Regular Cigarette	E-liqui	d Nicotine
Unfiltered, very strong	Super High	- 36mg
Full Flavored, Strong	Extra High	- 24mg
Regular (most)	High	- 16mg
Light	Med	- 11mg
Ultra-light	Low	- 8mg 9-liquid
Freedom from Nicotine!	No Nicotine	- Omg 30 ml

# #doitforjuul





#### Nicotine and the Brain




#### Nicotine and the Brain

- Age of onset
- Addiction and Relapse
- Kindling
- Later Vulnerability



### Heroin: Pharmacology

• Source







#### Heroin

Pain Medication







• Street Drug



Diamorphine Hydrochloride




Routes of Administration

### On the Street

• Price

• As low as \$12



## Acetyl fentanyl/carfentanyl

- Black Dahlia, Phantom
- PINK U-47700
- W-18 Gray Death







#### Route of Administration

Routes of Administration

Snorting

• Smoking


- Injecting
- IV, SC, IM







### Route of Administration



### Risk Factors

Addiction

• Infection



Overdose





#### Heroin and Other Drugs

Heroin use is part of a larger substance abuse problem.

Nearly all people who used heroin also used at least 1 other drug.

Most used at least 3 other drugs.

Heroin is a highly addictive opioid drug with a high risk of overdose and death for users.

People who are addicted to...



MARIJUANA





are

2x

3x

15x

40x

...more likely to be addicted to heroin.

#### On the Horizon

• Other Opioids

Zohydro Rx pain

Codeine Rx pain and cough

Imodium OTC

Gabapentin and Lyrica nerve pathway

#### New Record for Overdose Fatalities

• Drug overdose deaths reach all time high 2016

- All drugs 64,404
- Rx Opioids 14,400
- Heroin 15,400
- Fentanyl + 20,100



#### By the Numbers

Drug Overdose fatalities in the US

152 per day 64,000 per year Estimated to exceed 70,000 in 2018

Alcohol fatalities in the US.

241 per day 88,000 per year

#### Concerns

New Research on the Brain

- Embedded Memory
  - Too much DA
  - DeltaFosB
- Chemical Changes
  - Protein shift
  - PKMzeta
  - Stores the high





#### Concerns

• BRAIN CHANGES:

- Reward System Shutdown
  - Too much DA
  - CREB
  - Gene code
  - Synthesize Dynorphin






• Tolerance

Liver

• Brain

Receptor sites



• Compulsion



- Loss of Control
  - How much
  - How often
  - How long



- Withdrawal
  - Physical

Psychological



Continued abuse in spite of consequence





#### Education

Public/Private Schools
 NY State Good Samaritan

- Parents
- Workplace
- Hospitals
  - Drug seeking

She gets her hair from her mom. Her eyes from her dad. And her drugs from her grandma's medicine cabinet.

#### BE AWARE, DON'T SHARE.

For more information, go to www.lockyourmeds.org.





For more information about the Lock Your Meds™ Campaign or Informed Families/The Florida Family Partnership, please call: (305) 856-4886, or visit us at www.informedfamilies.org.

#### Prevention

Public Health Model

- Gordon's Categories
  - Universal
  - Selective
  - Indicated



#### Community Response

• Diverse strategies for pain management

Addicted moms programs



• Parent, Grandparent, and student education

#### Community Response

Support for Treatment system

Cooperation with Social Services

New elements of Law Enforcement

### Current and Experimental Medications as Treatment Adjuncts

For Opioid Dependency:


Trexan

Buphenex

Suboxone

Vivitrol

Probuphine



#### Medical Assisted Treatment

• Upside

Reduction of fatalities from all causes-- 50%

• Downside

Mix with alcohol


Street sales

#### Brain disease

• Just the Facts

(Community Awareness)

- Relapse ranges from 50%-90%
- Multiple factors
  - Definition
  - Drug of Addiction
  - Gender, Age,
  - Length of Use
  - Length of Treatment
  - Reliability of Instrument





### The Practice of Recovery

- The Clinical Connection (Build Support)
- Access to Qualified Treatment Providers
- Therapeutic Alliance
- Multiple Models
- Access to Support
- 12 Step Programs



#### **Emotional Competencies**


Self Awareness

Verbal Access

• Emotional Regulation

• Empathic Response


Passionate Interest



#### The Practice of Recovery

QUOTESVALLEY.COM

Practice and Repetition



• Learn from Failure

failure is success if we learn from it.